

1

2

3

4

5

6

7

8

H

H

G

G

F

F

E

E

D

D

C





C

B

B

A

A



NOTES:

1. CAGE: COPPER ALLOY THICKNESS:0.25mm

2. CLIP: STAINLESS STEEL

3. LIGHT PIPE: POLYCARBONATE COLOR CLEAR

4. 此产品包装出货详见2/4页图面说明

TITLE:

1x1SFP+-01压接式带透光柱

SIZE

A4

UNITS

MM[INCH]

GENERAL TOLERANCES

UNLESS SPECIFIED

APPROVED BY:

Geoffrey.Song

PART NO.:

WH81-111-Y0017-1

SACLE

1:1

REV

A0

 $x \pm 0.35$ $x^\circ \pm 3.0^\circ$

CHECKED BY:

Elvis.Song

 $.x \pm 0.30$ $.x^\circ \pm 2.0^\circ$

REMARK:

SHEET

1/4

 $.xx \pm 0.25$ $.xx^\circ \pm 1.5^\circ$

DESIGND BY:

Sunny.Xu

 $.xxx \pm 0.10$ $.xxx^\circ \pm 1.0^\circ$ **VOOHU** 苏州沃虎电子科技有限公司

Su Zhou Voohu Electronic Tech.Co.Ltd

TEL: +86 400 1048 018

WEB: WWW.VOOHU.CN

1

2

3


4

5

6

7

8



此款成品由这两个部件分开包装在同一纸箱内

VOOHU 苏州沃虎电子科技有限公司
Su Zhou Voohu Electronic Tech.Co.Ltd

TEL: +86 400 1048 018

WEB: WWW.VOOHU.CN

TITLE:
1x1SFP+-01压接式带透光柱
PART NO.:
WH81-111-Y0017-1

REMARK:

SIZE
A4
SACLE
1:1
SHEET
2/4




UNITS
MM[INCH]


REV
A0

GENERAL TOLERANCES UNLESS SPECIFIED	
x±0.35	x°±3.0°
.x±0.30	.x°±2.0°
.xx±0.25	.xx°±1.5°
.xxx±0.10	.xxx°±1.0°



APPROVED BY:
Geoffrey.Song
CHECKED BY:
Elvis.Song
DESIGND BY:
Sunny.Xu



BEZEL
RECOMMENDED PANEL CUTOUT AND PC BOARD
PANEL POSITION AND THICKNESS 0.8-2.6



BEZEL OPENING
BELOW TOP OF PCB



VOOHU 苏州沃虎电子科技有限公司
Su Zhou Voohu Electronic Tech.Co.Ltd

TITLE:
1x1SFP+-01压接式带透光柱
PART NO.:
WH81-111-Y0017-1

REMARK:

SIZE
A4

SACLE
1:1

SHEET
3/4

UNITS
MM[INCH]

REV
A0



GENERAL TOLERANCES
UNLESS SPECIFIED

$x \pm 0.35$
 $.x \pm 0.30$
 $.xx \pm 0.25$
 $.xxx \pm 0.10$

$x^\circ \pm 3.0^\circ$
 $.x^\circ \pm 2.0^\circ$
 $.xx^\circ \pm 1.5^\circ$
 $.xxx^\circ \pm 1.0^\circ$


APPROVED BY:
Geoffrey.Song

CHECKED BY:
Elvis.Song

DESIGND BY:
Sunny.Xu

TEL: +86 400 1048 018


WEB: WWW.VOOHU.CN



RECOMMENDED PCB LAYOUT (TOP VIEW)
(ALL TOLERANCES ARE ± 0.05)

NOTE:

- 1,2,3,11,14,16,17#孔直径为1.05mm;
4,5,7,8,9,10,12,13,15#孔直径为0.95mm;
6#孔直径为0.85mm;



DETAIL A(SCALE 2:1)

VOOHU 苏州沃虎电子科技有限公司
Su Zhou Voohu Electronic Tech.Co.Ltd

TITLE:
1x1SFP+-01压接式带透光柱

SIZE
A4

UNITS
MM[INCH]

GENERAL TOLERANCES
UNLESS SPECIFIED

APPROVED BY:
Geoffrey.Song

PART NO.:
WH81-111-Y0017-1

SACLE
1:1

REV
A0

$x \pm 0.35$
 $.x \pm 0.30$

$x^\circ \pm 3.0^\circ$
 $.x^\circ \pm 2.0^\circ$

CHECKED BY:
Elvis.Song

REMARK:

SHEET
4/4



$.xx \pm 0.25$
 $.xxx \pm 0.10$

$.xx^\circ \pm 1.5^\circ$
 $.xxx^\circ \pm 1.0^\circ$

DESIGND BY:
Sunny.Xu

TEL: +86 400 1048 018

WEB: WWW.VOOHU.CN