





MATERIAL:

1. CONTACT: PHOSPHOR BRONZE.
2. CONNECTOR HOUSING: LCP UL 94V-0. COLOR: BLACK.
3. MOULDED INSERT: HIGH TEMPERATURE PLASTIC UL 94V-0. COLOR:BLACK.
4. CAGE: COPPER ALLOY;BACK COVER:STAINLESS STEEL.
5. LIGHT PIPES: POLYCARBONATE. UL 94V-0. COLOR:CLEAR
6. LIGHT PIPE HOUSING: PBT UL 94V-0 COLOR:BLACK.
7. EMI CLIP: COPPER ALLOY.

PLATED:

1. CONTACT MATING AREA : PLATING GOLD 0.76 MICROMETERS MINIMUM  
OVER 1.27 MICROMETERS MINIMUM NICKEL.
2. CONTACT NEEDLE EYE: 1.27 MICROMETERS MINIMUM MATTE TIN  
OVER 1.27 MICROMETERS MINIMUM NICKEL.

**TITLE:**  
SFP28 2X12 CONNECTOR

PART NO.:  
WHSFP3232CF002

|                           |
|---------------------------|
| REMARK:                   |
| Gold Plating 30U" NI 50U" |

SIZE  
A4

SACLE  
1:1

SHEET  
1/3

UNITS  
MM[INCH]

REV  
A0

GENERAL TOLERANCES  
UNLESS SPECIFIED

|  |                 |
|--|-----------------|
|  | $x \pm 0.35$    |
|  | $.x \pm 0.30$   |
|  | $.xx \pm 0.25$  |
|  | $.xxx \pm 0.10$ |

|                         |                               |
|-------------------------|-------------------------------|
| TOLERANCES<br>SPECIFIED | APPROVED BY:<br>Geoffrey.Song |
|-------------------------|-------------------------------|

|             |            |
|-------------|------------|
| CHECKED BY: | Elvis Song |
|-------------|------------|





|             |          |
|-------------|----------|
| DESIGND BY: | Sunny.Xu |
|-------------|----------|

**VCOHU** 苏州沃虎电子科技有限公司  
Su Zhou Voohu Electronic Tech.Co.Ltd


TEL: +86 400 1048 018

WEB: [WWW.VOOHU.CN](http://WWW.VOOHU.CN)


CUSTOMER DRAWING




RoHS Compliant

|   |                                                                                                                                         |  |                                      |              |                                                                                       |                                        |                 |                               |
|---|-----------------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------|--------------|---------------------------------------------------------------------------------------|----------------------------------------|-----------------|-------------------------------|
| A |  苏州沃虎电子科技有限公司<br>Su Zhou Voohu Electronic Tech.Co.Ltd |  | TITLE:<br>SFP28 2X12 CONNECTOR       | SIZE<br>A4   | UNITS<br>MM[INCH]                                                                     | GENERAL TOLERANCES<br>UNLESS SPECIFIED |                 | APPROVED BY:<br>Geoffrey.Song |
|   |                                                                                                                                         |  | PART NO.:<br>WHSFP3232CF002          | SACLE<br>1:1 | REV<br>A0                                                                             | $\pm 0.35$                             | $\pm 3.0^\circ$ | CHECKED BY:                   |
|   | TEL: +86 400 1048 018      WEB: WWW.VOOHU.CN                                                                                            |  | REMARK:<br>Gold Plating 30U" NI 50U" | SHEET<br>2/3 |  | $\pm 0.25$                             | $\pm 1.5^\circ$ | DESIGND BY:                   |
|   |                                                                                                                                         |  |                                      |              |                                                                                       | $\pm 0.10$                             | $\pm 1.0^\circ$ | Sunny.Xu                      |


CUSTOMER DRAWING



PIN MAP



DETAIL D  
SCALE 2:1



DETAIL C  
SCALE 2:1

RoHS Compliant



苏州沃虎电子科技有限公司  
Su Zhou Voohu Electronic Tech.Co.Ltd

TITLE:  
SFP28 2X12 CONNECTOR

PART NO.:  
WHSFP3232CF002

REMARK:  
Gold Plating 30U" NI 50U"


SIZE  
A4

SACLE  
1:1

SHEET  
3/3

UNITS  
MM[INCH]

REV  
A0



GENERAL TOLERANCES  
UNLESS SPECIFIED

|                 |                            |
|-----------------|----------------------------|
| $x \pm 0.35$    | $x^\circ \pm 3.0^\circ$    |
| $.x \pm 0.30$   | $.x^\circ \pm 2.0^\circ$   |
| $.xx \pm 0.25$  | $.xx^\circ \pm 1.5^\circ$  |
| $.xxx \pm 0.10$ | $.xxx^\circ \pm 1.0^\circ$ |

APPROVED BY:  
Geoffrey.Song

CHECKED BY:  
Elvis.Song

DESIGND BY:  
Sunny.Xu

TEL: +86 400 1048 018

WEB: WWW.VOOHU.CN