





REACH & RoHS
COMPLIANT



NOTE:

1, DESCRIPTION	Q' ty	MATERIAL	PLATING
SFP TOP CAGE (Non-Logo)	1PCS	COPPER ALLOY T=0.25	SEE TABLE
SFP BOTTOM CAGE (Non-Logo)	1PCS	COPPER ALLOY T=0.25	SEE TABLE
SFP MID CAGE (Non-Logo)	3PCS	COPPER ALLOY T=0.25	SEE TABLE
SFP BACK CAGE	1PCS	COPPER ALLOY T=0.25	SEE TABLE
EMI SPRING	N/A	COPPER ALLOY T=0.08	NI FOR ALL
2, TEMPERATURE:			
OPERATION: -40° C~+85° C			
STORAGE: -55° C~+105° C			

VOOHU 苏州沃虎电子科技有限公司
Su Zhou Voohu Electronic Tech.Co.Ltd

TEL: +86 400 1048 018

WEB: WWW.VOOHU.CN

TITLE:
SFP+1X4 CAGE (Press-fit) 白铜

PART NO.:
WHSFP11014W002

REMARK:


SIZE
A4

SCALE
1:1

SHEET
1/3

UNITS
MM[INCH]

REV
A0



GENERAL TOLERANCES
UNLESS SPECIFIED


x±0.35	x°±3.0°
.x±0.30	.x°±2.0°
.xx±0.25	.xx°±1.5°
.xxx±0.10	.xxx°±1.0°

APPROVED BY:
Geoffrey.Song


CHECKED BY:
Elvis.Song

DESIGNED BY:
Sunny.Xu


REACH & RoHS
COMPLIANT




RECOMMENDED BEZEL CUT-OUT SINGLE SIDED APPLICATIONS
SCALE 5:3



RECOMMENDED BEZEL CUT-OUT BELLY TO BELLY APPLICATIONS



MOUNTED ON PC BOARD
SHOWN THRU RECOMMENDED BEZEL



MOUNTED BELLY TO BELLY ON PC BOARD
SHOWN THRU RECOMMENDED BEZEL

VOOHU 苏州沃虎电子科技有限公司
Su Zhou Voohu Electronic Tech.Co.Ltd

TEL: +86 400 1048 018

WEB: WWW.VOOHU.CN

TITLE:
SFP+1X4 CAGE (Press-fit) 白铜
PART NO.:
WHSFP11014W002

REMARK:



SIZE
A4
SCALE
1:1
SHEET
2/3

UNITS
MM[INCH]
REV
A0



GENERAL TOLERANCES
UNLESS SPECIFIED
x±0.35
.x±0.30
.xx±0.25
.xxx±0.10
x°±3.0°
.x°±2.0°
.xx°±1.5°
.xxx°±1.0°

APPROVED BY:
Geoffrey.Song
CHECKED BY:
Elvis.Song
DESIGNED BY:
Sunny.Xu

REACH & RoHS
COMPLIANT



DETAIL A
SCALE 2.5:1



DETAIL A
SCALE 2.5:1

VOOHU 苏州沃虎电子科技有限公司
Su Zhou Voohu Electronic Tech.Co.Ltd

TITLE:
SFP+1X4 CAGE (Press-fit) 白铜

SIZE
A4

UNITS
MM[INCH]

GENERAL TOLERANCES
UNLESS SPECIFIED

APPROVED BY:
Geoffrey.Song

PART NO.:
WHSFP11014W002

SCALE
1:1

REV
A0

$x \pm 0.35$
 $.x \pm 0.30$
 $.xx \pm 0.25$
 $.xxx \pm 0.10$

$x^\circ \pm 3.0^\circ$
 $.x^\circ \pm 2.0^\circ$
 $.xx^\circ \pm 1.5^\circ$
 $.xxx^\circ \pm 1.0^\circ$

CHECKED BY:
Elvis.Song
DESIGNED BY:
Sunny.Xu

TEL: +86 400 1048 018

WEB: WWW.VOOHU.CN

REMARK:

SHEET
3/3

