







REACH & RoHS
COMPLIANT

REV. 版本	ECN MO. 变更说明	DATE 日期
A	FIRST ISSUE	20190312



DETAIL A
SCALE 5:1

NOTE:

1. DESCRIPTION	Q'ty	MATERIAL	PLATING
SFP TOP CAGE	1PCS	STAINLESS STEEL T=0.25	N/A
SFP BOTTOM CAGE	1PCS	STAINLESS STEEL T=0.25	N/A
SFP MID CAGE	3PCS	STAINLESS STEEL T=0.25	N/A
EMI SPRING	4PCS	COPPER ALLOY T=0.08	NI 30u"MIN
INSIDE CLIP	1PCS	COPPER ALLOY T=0.25	N/A
SIDE SPRING	3PCS	BERYLLIUM COPPER T=0.06	NI 30u"MIN
HEAT SINK	4PCS	ALUMINIUM ALLOY	ANODIZING
HEAT SINK CLIP	4PCS	STAINLESS STEEL T=0.25	N/A
LIGHT PIPE	2PCS	PC	N/A

2. TEMPERATURE:

OPERATION: -40° C~+85° C
STORAGE: -40° C~+85° C

TITLE: SFP 28 1X4 CAGE PRESS FIT,
WITH HEAT SINKS,
WITH EMI SPRINGS, WITH L/P

PART NO.:
WHSFP30714W004

REMARK:


SIZE
A4

SCALE
1:1

SHEET
1/4

UNITS
MM[INCH]

REV
A0



GENERAL TOLERANCES
UNLESS SPECIFIED

x[±]0.35
x[±]0.30
xx[±]0.25
xxx[±]0.10

APPROVED BY:
Geoffrey.Song





CHECKED BY:
Elvis.Song

DESIGNED BY:
Sunny.Xu

VOOHU 苏州沃虎电子科技有限公司
Su Zhou Voohu Electronic Tech.Co.Ltd



TEL: +86 400 1048 018

WEB: WWW.WOHU-TEK.COM


1	2	3	4	5	6	7	8		
REACH & RoHS COMPLIANT							REV. 版本	ECN MO. 变更说明	DATE 日期
									
									
		RECOMMENDED BEZEL CUT-OUT BELLY TO BELLY APPLICATIONS					MOUNTED BELLY TO BELLY ON PC BOARD SHOWN THRU RECOMMENDED BEZEL		
 苏州沃虎电子科技有限公司 Su Zhou Voohu Electronic Tech.Co.Ltd		TITLE: SFP 28 1X4 CAGE PRESS FIT, WITH HEAT SINKS, WITHEMI SPRINGS, WITH L/P		SIZE A4	UNITS MM[INCH]	GENERAL TOLERANCES UNLESS SPECIFIED		APPROVED BY: Geoffrey.Song	
		PART NO.: WHSFP30714W004		SCALE 1:1	REV A0	x±0.35	x°±3.0°	CHECKED BY: Elvis.Song	
TEL: +86 400 1048 018 WEB: WWW.WOHU-TEK.COM		REMARK:		SHEET 2/4		.xx±0.25	.xx°±1.5°	DESIGNED BY: Sunny.Xu	
						.xxx±0.10	.xxx°±1.0°		

REACH & RoHS
COMPLIANT



REV. 版本	ECN MO. 变更说明	DATE 日期




Detail B
SCALE 5:1



SEE Detail A
SCALE 2.5:1



Detail C
SCALE 5:1



SEE Detail D
SCALE 2.5:1

RECOMMENDED PCB CONFIGURATION WITH KEEP-OUT AREAS
BELLY TO BELLY APPLICATIONS

TITLE: SFP 28 1X4 CAGE PRESS FIT,
WITH HEAT SINKS,
WITH EMI SPRINGS, WITH L/P





PART NO.:
WHSFP30714W004

REMARK:

SIZE A4	UNITS MM[INCH]	GENERAL TOLERANCES UNLESS SPECIFIED		APPROVED BY: Geoffrey.Song	
SCALE 1:1	REV A0	$x \pm 0.35$	$x^\circ \pm 3.0^\circ$	CHECKED BY: Elvis.Song	
		$.x \pm 0.30$	$.x^\circ \pm 2.0^\circ$		
SHEET 3/4		$.xx \pm 0.25$	$.xx^\circ \pm 1.5^\circ$	DESIGNED BY: Sunny.Xu	
		$.xxx \pm 0.10$	$.xxx^\circ \pm 1.0^\circ$		

VOOHU 苏州沃虎电子科技有限公司
Su Zhou Voohu Electronic Tech.Co.Ltd

TEL: +86 400 1048 018 WEB: WWW.WOHU-TEK.COM

1	2	3	4	5	6	7	8		
REACH & RoHS COMPLIANT							REV. 版本	ECN MO. 变更说明	DATE 日期
This light pipe supports splitting and assembling, reference sizes are as follows   									
 苏州沃虎电子科技有限公司 Su Zhou Voohu Electronic Tech.Co.Ltd		TITLE: SFP 28 1X4 CAGE PRESS FIT, WITH HEAT SINKS, WITHEMI SPRINGS, WITH L/P		SIZE A4	UNITS MM[INCH]	GENERAL TOLERANCES UNLESS SPECIFIED		APPROVED BY: Geoffrey.Song	
		PART NO.: WHSFP30714W004		SCALE 1:1	REV A0	.xx±0.25 .xxx±0.10		CHECKED BY: Elvis.Song	
		REMARK:		SHEET 4/4		.x°±3.0° .x°±2.0°		DESIGNED BY: Sunny.Xu	
						.xx°±1.5° .xxx°±1.0°			
TEL: +86 400 1048 018		WEB: WWW.WOHU-TEK.COM							