






VOOHU 苏州沃虎电子科技有限公司 Su Zhou Voohu Electronic Tech.Co.Ltd			TITLE: SFP28 1X1 CAGE 压接脚		SIZE A4	UNITS MM[INCH]	GENERAL TOLERANCES UNLESS SPECIFIED		APPROVED BY: Geoffrey.Song	
			PART NO.: WHSFP30211W031		SCALE 1:1	REV A0	$x \pm 0.35$	$x^{\circ} \pm 3.0^{\circ}$	CHECKED BY: Elvis.Song	
TEL: +86 400 1048 018 WEB: WWW.VOOHU.CN			REMARK: 无尾端裙边 白铜镀镍		SHEET 1/3		$.xx \pm 0.25$	$.xx^{\circ} \pm 1.5^{\circ}$	DESIGNED BY: Sunny.Xu	
							$.xxx \pm 0.10$	$.xxx^{\circ} \pm 1.0^{\circ}$		


REACH & RoHS
COMPLIANT




DETAIL A
SCALE 4:1
QUANTITY:6




DETAIL B
SCALE 4:1
QUANTITY:9



DETAIL C
SCALE 4:1



DETAIL D
SCALE 10 : 1



VOOHU 苏州沃虎电子科技有限公司
Su Zhou Voohu Electronic Tech.Co.Ltd

TEL: +86 400 1048 018

WEB: WWW.VOOHU.CN

TITLE:
SFP28 1X1 CAGE 压接脚

PART NO.:
WHSFP30211W031

REMARK:
无尾端裙边 白铜镀镍


SIZE
A4

SCALE
1:1

SHEET
2/3

UNITS
MM[INCH]

REV
A0



GENERAL TOLERANCES
UNLESS SPECIFIED

$x \pm 0.35$
 $.x \pm 0.30$
 $.xx \pm 0.25$
 $.xxx \pm 0.10$


$x^\circ \pm 3.0^\circ$
 $.x^\circ \pm 2.0^\circ$
 $.xx^\circ \pm 1.5^\circ$
 $.xxx^\circ \pm 1.0^\circ$

APPROVED BY:
Geoffrey.Song




CHECKED BY:
Elvis.Song

DESIGNED BY:
Sunny.Xu

REACH & RoHS
COMPLIANT



THE RECOMMENDED COMPRESSION RANGE
FOR EMI:0.2-0.8mm 1.70 ± 0.90



PCB LAYOUT THICKNESS=3.0mm (TOP VIEW)

VCOHU 苏州沃虎电子科技有限公司
Su Zhou Voohu Electronic Tech.Co.Ltd

TITLE:
SFP28 1X1 CAGE 压接脚

SIZE	UNITS
A4	MM[INCH]

GENERAL TOLERANCES
UNLESS SPECIFIED

APPROVED BY:
Geoffrey.Song

PART NO.:
WHSFP30211W031

SCALE	REV
1:1	A0

$x \pm 0.35$	$x^\circ \pm 3.0^\circ$
$x \pm 0.30$	$x^\circ \pm 2.0^\circ$

CHECKED BY:
Elvis.Song

REMARK:
无尾端裙边 白铜镀镍

SHEET 3/3	
--------------	---

.xx±0.25	.xx°±1.5°
.xxx±0.10	.xxx°±1.0°