









REACH & RoHS  
COMPLIANT



NOTES:

1.MATERIAL:  
CAGE: COPPER ALLOY, Ni PLATED , THICKNESS 0.25mm  
EMI SPRING: COPPER ALLOY, Ni PLATED , THICKNESS 0.08mm  
COVER: HIGH TEMPERATURE PLASTIC, UL94V-0, BLACK

2.PACKAGING: TRAY PACKAGING

3.TEMPERATURE RANGE: -55°C TO +85°C

**VOOHU** 苏州沃虎电子科技有限公司  
Su Zhou Voohu Electronic Tech.Co.Ltd

TITLE:  
SFP28 1X1 CAGE(11°)

SIZE  
A4  
UNITS  
MM[INCH]

GENERAL TOLERANCES  
UNLESS SPECIFIED

APPROVED BY:  
Geoffrey.Song

PART NO.:  
WH391Y119D0S02

SCALE  
1:1  
REV  
A0

$x \pm 0.35$	$x^\circ \pm 3.0^\circ$
$.x \pm 0.30$	$.x^\circ \pm 2.0^\circ$

CHECKED BY:  
Elvis.Song

TEL: +86 400 1048 018

WEB: WWW.VOOHU.CN

REMARK:




SHEET  
1/3



$.xx \pm 0.25$	$.xx^\circ \pm 1.5^\circ$
$.xxx \pm 0.10$	$.xxx^\circ \pm 1.0^\circ$

DESIGNED BY:  
Sunny.Xu

REACH & RoHS  
COMPLIANT



**VOOHU** 苏州沃虎电子科技有限公司  
Su Zhou Voohu Electronic Tech.Co.Ltd

TITLE:  
SFP28 1X1 CAGE(11°)

SIZE  
A4  
UNITS  
MM[INCH]

GENERAL TOLERANCES  
UNLESS SPECIFIED

APPROVED BY:  
Geoffrey.Song

PART NO.:  
WH391Y119D0S02

SCALE  
1:1  
REV  
A0

$x \pm 0.35$	$x^\circ \pm 3.0^\circ$
$.x \pm 0.30$	$.x^\circ \pm 2.0^\circ$

CHECKED BY:  
Elvis.Song

TEL: +86 400 1048 018

WEB: WWW.VOOHU.CN

REMARK:



SHEET  
2/3



$.xx \pm 0.25$	$.xx^\circ \pm 1.5^\circ$
$.xxx \pm 0.10$	$.xxx^\circ \pm 1.0^\circ$

DESIGNED BY:  
Sunny.Xu

REACH & RoHS  
COMPLIANT



DETAIL A  
SCALE 4 : 1

PCB LAYOUT THICKNESS=1.57mm (TOP VIEW)  
PCB TOLERANCES:05

- NOTES:  
1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER  
2. PADS AND VIAS ARE CHASSIS GROUND  
3. THRU-HOLES PLATING OPTIONAL

**VOOHU** 苏州沃虎电子科技有限公司  
Su Zhou Voohu Electronic Tech.Co.Ltd

TITLE:  
SFP28 1X1 CAGE(11°)

SIZE  
A4

UNITS  
MM[INCH]

GENERAL TOLERANCES  
UNLESS SPECIFIED

PART NO.:  
WH391Y119D0S02

SCALE  
1:1

REV  
A0

$x \pm 0.35$	$x^\circ \pm 3.0^\circ$
$.x \pm 0.30$	$.x^\circ \pm 2.0^\circ$


APPROVED BY:  
Geoffrey.Song

TEL: +86 400 1048 018

WEB: WWW.VOOHU.CN

REMARK:

SHEET  
3/3



$.xx \pm 0.25$	$.xx^\circ \pm 1.5^\circ$
$.xxx \pm 0.10$	$.xxx^\circ \pm 1.0^\circ$

CHECKED BY:  
Elvis.Song

DESIGNED BY:  
Sunny.Xu